

Sit-Stand Desk Riser



VSS-1S EU SAP: 4457171 US SAP: 13041719
VSS-1M EU SAP: 4457172 US SAP: 13041720
vav.link/vss-1

Maintain correct posture
Two size options: small and medium
380 mm (14.96") of height adjustment
Tablet slot integrated

The *Vision Sit-Stand (VSS)* workstation risers allow users to transition between a sitting position and standing position throughout the day to improve muscular mobility and circulation.

These high-quality desk accessories ensure computer users keep an ergonomically correct position and stay comfortable as they work, ultimately increasing productivity and wellbeing. They allow employers to fulfil health and safety obligations without investing in completely new desks.




Wide Base

The base style of the VSS-1 has a wide footprint giving great stability and a greater range of height adjustment than the VSS-2.

Small

The top platform on the small model measures 700 mm (27.6") wide x 500 mm (19.7") deep, with a keyboard platform which is the same width and 260 mm (10.2") deep.



Medium

The top platform on the medium model measures 880 mm (34.6") wide x 530 mm (20.9") deep, with a keyboard platform which is the same width and 260 mm (10.2") deep.

Height Adjustment

A gas strut assists in moving the platform up and down smoothly. The small model has a height range of 120-400 mm (4.7-15.7"), and the medium model 120-460 mm (4.7-18.1").

Quick Release Keyboard

The keyboard platform can be removed easily if not required.

Scratch Resistant

The display and keyboard platforms are made from non-marking material.


Tablet Slot

The top shelf has an integrated slot near the front edge to support iPads and tablets.

Display Fixings

A hole at the back of the top shelf is available to fix Vision's display mounts quickly and safely, instead of having to use the clamps.





VISION

MANUAL

VSS 1 quick manual

EN PDF 2.73 MB

files.visionaudiovisual.com/products/VSS-1/manuals/VSS-1_quick_manual.pdf

IMAGE

Product Images

ZIP 8.16 MB

<files.visionaudiovisual.com/products/VSS-1/images/VSS-1.zip>

VSS 1 moving

GIF 715.01 KB

files.visionaudiovisual.com/products/VSS-1/images/VSS-1_moving.gif

Down

PNG 589.63 KB

files.visionaudiovisual.com/products/VSS-1/images/VSS-1S_down.png

Above

PNG 667.83 KB

files.visionaudiovisual.com/products/VSS-1/images/VSS-1S_above.png

Up

PNG 876.27 KB

files.visionaudiovisual.com/products/VSS-1/images/VSS-1M_up.png

Dims

PNG 77.13 KB

files.visionaudiovisual.com/products/VSS-1/images/VSS-1S_dims.png

Above

PNG 735.25 KB

files.visionaudiovisual.com/products/VSS-1/images/VSS-1M_above.png

Product Images

PNG 1.31 MB

<files.visionaudiovisual.com/products/VSS-1/images/VSS-1S.png>

Down

PNG 805.65 KB

files.visionaudiovisual.com/products/VSS-1/images/VSS-1M_down.png

Product Images

PNG 805.37 KB

<files.visionaudiovisual.com/products/VSS-1/images/VSS-1M.png>

Menu

PNG 314.68 KB

files.visionaudiovisual.com/products/VSS-1/images/VSS-1M_menu.png

SPECIFICATIONS

PRODUCT DIMENSIONS

See drawings

PACKAGED DIMENSIONS

VSS-1S: 805 x 187 x 629 mm/ 31.69" x 7.36" x 24.76" VSS-1M: 955 x 187 x 629 mm/ 37.60" x 7.36" x 24.76"

PRODUCT WEIGHT

VSS-1S: 18.7 kg (41.23lbs) VSS-1M: 22.5 kg (49.90lbs)

PACKAGED WEIGHT

VSS-1S: 21.6 kg (47.62 lbs) VSS-1M: 25.9 kg (57.10 lbs)

SAFE WORKING LOAD

15 kg (33 lbs)

CONSTRUCTION MATERIAL

Steel

COLOUR

Black / Dark Grey

ACCESSORIES INCLUDED

n/a

WARRANTY

Lifetime return-to-base

COMPLIANCES

N/A

ORDER PART CODE

Small: VSS-1S [EU SAP: 4457171 / US SAP: 13041719] Medium: VSS-1M [EU SAP: 4457172 / US SAP: 13041720]