TCB

## GRANT OF EQUIPMENT AUTHORIZATION

**TCB** 

Certification

Issued Under the Authority of the Federal Communications Commission

By:

Curtis-Straus LLC
One Distribution Center Circle Suite #1
Littleton, MA 01460

Date of Grant: 08/30/2011

Application Dated: 08/30/2011

Zinwell Corporation 7F., No.512, Yuanshan Rd., Zhonghe Dist., New Taipei City 235, Taiwan (R.O.C.) Taipei, Taiwan

Attention: Gary Tsai, Senior Manager

## **NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: YG7RF31200M
Name of Grantee: Zinwell Corporation

**Equipment Class: Unlicensed National Information Infrastructure TX** 

Notes: Wireless HD Net Connect Transmitter

Frequency Output Frequency Emission

Grant Notes FCC Rule Parts Range (MHZ) Watts Tolerance Designator

28 CC MO 15E 5190.0 - 5230.0 0.005

Power listed is the maximum combined conducted output power. SAR compliance has been established in the laptop computer(s) configurations with USB slot(s) configurations as tested in this filing, and can be used in laptop computers with substantially similar physical dimensions, construction, and electrical and RF characteristics. Compliance of this device in all final host configurations is the responsibility of the Grantee. End-users and responsible parties must be provided with operating and installation instructions to ensure RF exposure compliance. The antenna(s) used for this transmitter must not be co-located or operating in conjunction with any other antenna or transmitter within a host device. Operations in the 5.15-5.25GHz band are restricted to indoor usage only. The highest reported SAR value for body is 0.109 W/kg.

28: An AC adapter incorporating a ferrite core at the connector end of its DC line must be provided with every unit sold.

CC: This device is certified pursuant to two different Part 15 rules sections.

MO: This Multiple Input Multiple Output (MIMO) device was evaluated for multiple transmitted signals as indicated in the filing.